

Declaration of Performance

No. 004/DoP

In accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council laying down harmonised conditions for the marketing of construction products (CPR EU 305/2011)

1. Unique identification code of product-type:

Fibre-cement flat sheets

Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4).

Cembrit Construction
(Cembrit Construction Primed, Cembrit RAW, Cembrit Classic, Frontex,
Cembrit natur HD, Cembrit HD, Cembrit Heavy Duty)

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Cladding (internal and external wall finishes)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5) :

Cembrit Holding A/S
Gasværksvej 24
DK-9000 Aalborg, Denmark
Email: info@cembrit.com

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2):

Not applicable

5. System or system of assessment and verification of constancy of performance of the construction product as out in Annex V:

System 4

- 6a. Name and identification number of the notified body (in case of the declaration of performance concerning a construction product covered by a harmonised standard):

Initial Type Test performed by manufacturer

Performed Initial Type Test under system 4 according to EN 12467. Test report No. 29-28-3/ITT/20200911 dated September 11th 2020, test report No. 29-28-2/ITT/20210720 dated July 20th 2021, test report No. 29-38/ITT/20210903 dated September 3rd 2021, test report No. 29-40/ITT/20201214 dated December 14th 2020 and test report No. 29-39/ITT/20201214 dated December 14th 2020.

**MPA Bau Hannover
Notified body No. 0764
Nienburger Straße 3,
D-30167 Hannover, Germany**

Performed reaction to fire testing and classification according EN 13501-1. Test report no. 161551, dated May 2nd, 2016 and test report no. 161571, dated May 4th, 2016.

- 6b. Name and identification number of the Technical Assessment Body (in case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued):

Not applicable

7. Declared performance:

Essential characteristics	Performance		Harmonised technical specification
Type of sheets	NT		EN 12467:2012+A2:2018 Fibre-cement flat sheets Product specification and test methods
Mechanical resistance	≥ 6 mm	A3	
	4 mm	C5	
	≤ 3,2 mm	C4	
Bending strength A3 wet condition	Min. 13 MPa		
Bending strength C5 ambient condition	Min. 22 MPa		
Apparent density	≥ 1550 kg/m ³		
Reaction to fire	≥ 8 mm	A2-s1, d0	
	< 8 mm	A2-s2, d0	
	≥ 6 mm		
	< 6 mm		
Water impermeability	No water drops		
Dimensional variations	Level I		
Release of dangerous substances	No performance determined		
Durability against warm water	R _L ≥ 0,75		
Durability against soak/dry	R _L ≥ 0,75		
Durability against freeze-thaw	R _L ≥ 0,75		
Durability against heat – rain	≥ 6 mm	Pass	
	< 6 mm	N/A	


8. Appropriate Technical Documentation and/or Specific Technical Documentation:

EN 12467:2012+A2:2018
Fibre-cement flat sheets
Product specification and test methods

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Esben Moos, Group Technical Manager
Aalborg, November 11th, 2022



.....